# 180 Return Merchandise Authorization and Notification

Functional Group ID=AN

# **Introduction:**

This Draft Standard for Trial Use contains the format and establishes the data contents of the Return Merchandise Authorization and Notification Transaction Set (180) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can provide for customary and established business and industry practice relative to the returning of merchandise to the vendor. This transaction set may satisfy request for returns, authorization or disposition of the return, notification of return, or notification of consumer return.

# **Notes:**

- 1. Organizations use this transaction set to report the availability of material to the wholesale distribution system, to report the automatic shipment of material to storage or repair facilities, to request cancellation of previously submitted reports, and to inquire about the status of previously submitted transactions.
- 2. Use a single occurrence of this transaction set to transmit single or multiple material returns information transactions to one or more Inventory Control Points (ICPs) or Integrated Material Managers (IMMs).
- 3. A single transaction set may contain a combination of transactions for standard and nonstandard material.
- 4. Each transaction within a transaction set may report, for a single transaction number, one or more quantities distinguished by one or more characteristics.
- 5. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and Accounting Classification Appendix which can be found on the National Institute of Standards and Technology (NIST) World Wide Web site.

# **Heading:**

	Pos. No.	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	Max.Use	Loop Repeat	Notes and Comments
Must Use	010	ST	Transaction Set Header	M	1	repeat	Comments
Must Use	020	BGN	Beginning Segment	M	1		
Not Used	030	RDR	Return Disposition Reason	O	1		
Not Used	040	PRF	Purchase Order Reference	O	1		
Not Used	050	DTM	Date/Time Reference	O	10		
Not Used	060	N9	Reference Identification	O	10		
Not Used	070	PER	Administrative Communications Contact	O	2		

003060F180M0 10 December 1997

# 180M - Material Returns Reporting

Not Used	080	SAC	Service, Promotion, Allowance, or Charge Information	0	10	
Not Used	085	G38	Claim Payment Information	O	1	
Not Used	090	PKG	Marking, Packaging, Loading	O	5	
Not Used	100	TD1	Carrier Details (Quantity and Weight)	O	10	
Not Used	110	TD5	Carrier Details (Routing Sequence/Transit Time)	0	10	
Not Used	115	NTE	Note/Special Instruction	O	5	
			LOOP ID - N1			200
Must Use	120	N1	Name	O	1	
Not Used	130	N2	Additional Name Information	O	2	
Not Used	140	N3	Address Information	O	2	
Not Used	150	N4	Geographic Location	O	1	
Not Used	160	PER	Administrative Communications Contact	O	5	
			LOOP ID - LM			10
Not Used	170	LM	Code Source Information	O	1	
Not Used	180	LQ	Industry Code	M	100	

# **Detail:**

	Pos. No.	Seg. <u>ID</u>	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
		_	LOOP ID - BLI			>1	
Must Use	010	BLI	Baseline Item Data	O	1		n1
Must Use	011	N9	Reference Identification	O	20		
Not Used	020	PID	Product/Item Description	O	5		
Not Used	030	RDR	Return Disposition Reason	O	1		
Not Used	040	SAC	Service, Promotion, Allowance, or Charge Information	О	10		
Not Used	042	AMT	Monetary Amount	O	>1		
Not Used	044	MEA	Measurements	O	>1		
Not Used	046	CRC	Conditions Indicator	O	>1		
Not Used	048	NTE	Note/Special Instruction	O	>1		
Not Used	050	PRF	Purchase Order Reference	O	1		
	051	AT	Financial Accounting	O	>1		
Not Used	052	DTM	Date/Time Reference	O	15		
Not Used	053	DD	Demand Detail	O	100		
Not Used	054	GF	Furnished Goods and Services	O	1		
Not Used	055	TD5	Carrier Details (Routing Sequence/Transit Time)	O	5		
Not Used	056	SDQ	Destination Quantity	O	100		
			LOOP ID - LM			10	
Must Use	057	LM	Code Source Information	O	1		
Must Use	058	LQ	Industry Code	M	100		
			LOOP ID - N1		<del></del>	200	
Must Use	060	N1	Name	О	1		
Not Used	070	N2	Additional Name Information	O	2		
Not Used	080	N3	Address Information	O	2		

# 180M - Material Returns Reporting

Not Used	090	N4	Geographic Location	O	1	
Not Used	100	PER	Administrative Communications Contact	O	5	
			LOOP ID - QTY		·	>1
Must Use	110	QTY	Quantity	O	1	
Not Used	120	AMT	Monetary Amount	O	5	
	130	DTM	Date/Time Reference	O	10	
Not Used	140	N1	Name	O	1	n2
			LOOP ID - LM		·	10
Must Use	150	LM	Code Source Information	O	1	
Must Use	160	LQ	Industry Code	M	100	
Widst Osc	100	LQ	madely code		100	
Must Osc	100	LQ	LOOP ID - LX			>1
Wast Osc	170	LX	·	0	1	>1 n3
Wast Osc			LOOP ID - LX	<u> </u>	1 >1	
Not Used	170	LX	LOOP ID - LX Assigned Number	О	1	
	170 180	LX N9	LOOP ID - LX Assigned Number Reference Identification	0 0	1 >1	
	170 180 190	LX N9 DTM	LOOP ID - LX Assigned Number Reference Identification Date/Time Reference	0 0 0	1 >1 10	n3
	170 180 190	LX N9 DTM	LOOP ID - LX Assigned Number Reference Identification Date/Time Reference Name	0 0 0	1 >1 10	n3 n4
Not Used	170 180 190 200	LX N9 DTM N1	LOOP ID - LX Assigned Number Reference Identification Date/Time Reference Name LOOP ID - LM	0 0 0 0	1 >1 10 1	n3 n4

# **Transaction Set Notes**

- 1. Quantity is specified either in the BLI segment (BLI03) or in the QTY segment.
- 2. The N1 segment is used to identify the location of the material specified in the QTY loop.
- 3. The LX loop conveys serial number, lot number and inventory data.
- **4.** The N1 segment identifies the name of the manufacturer associated with the serial or lot number specified in the LX loop.

Segment: ST Transaction Set Header

**Position:** 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To

To indicate the start of a transaction set and to assign a control number

**Syntax Notes:** 

**Semantic Notes:** 1 The transaction set identifier (ST01) used by the translation routines of the

interchange partners to select the appropriate transaction set definition (e.g.,

810 selects the Invoice Transaction Set).

**Comments:** 

# **Data Element Summary**

	Ref.	Data				
	Des.	<b>Element</b>	<u>Name</u>		Att	<u>ributes</u>
<b>Must Use</b>	ST01	143	Transaction S	et Identifier Code	$\mathbf{M}$	ID 3/3
			Code uniquely	identifying a Transaction Set		
			180	X12.255 Return Merchandise Auth Notification	orizat	ion and
Must Use	ST02	329	Transaction S	et Control Number	M	AN 4/9
			Identifying con	ntrol number that must be unique within	the tra	ansaction set

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

A unique number assigned by the originator of the transaction set, or the originator's application program.

Segment: BGN Beginning Segment

**Position:** 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of a transaction setSyntax Notes: 1 If BGN05 is present, then BGN04 is required.

Semantic Notes: 1 BGN02 is the transaction set reference number.

2 BGN03 is the transaction set date.3 BGN04 is the transaction set time.

4 BGN05 is the transaction set time qualifier.

5 BGN06 is the transaction set reference number of a previously sent transaction

affected by the current transaction.

#### **Comments:**

	Ref.	Data	N N	V	<b>A</b> 44	• •	
Must Use	<u>Des.</u> BGN01	<b>Element 353</b>	Name Transaction Set I	Purnosa Coda	Att M	<u>ributes</u> ID 2/2	
Must Use	DGNUI	353	Transaction Set Purpose Code			ID 2/2	
			, , ,	ourpose of transaction set			
			00	Original			
			77	Simulation Exercise			
Must Use	BGN02	127	Reference Identif	Use to identify a simulated mobilizatransaction set. Activities initiating mobilization exercises must ensure coordination with all activities invotransaction set recipients must use to ensure that individual transaction process as action documents which accountable records.  Tication  attion as defined for a particular Transaction as defined for a particular transaction as defined for a particular transaction.	simu comp lved. extre ns do affeo M	lated plete All me caution not ct AN 1/30	
				eference Identification Qualifier	ictioi	i Set of as	
			Use Code "Z" for requirements.	this data element to satisfy mandator	y X1	2 syntax	
Must Use	BGN03	373	Date		$\mathbf{M}$	<b>DT</b> 6/6	
			Date (YYMMDD)	)			
			This date correspo	onds to the Universal Time Coordinat	e(U')	TC).	
Must Use	BGN04	337	Time		X	TM 4/8	
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths					

(00-99)

1. Express the originating activity's time of transaction set preparation in UTC.

2. Express time in a four-position (HHMM) format.

#### Not Used BGN05 623 Time Code

O ID 2/2

Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

#### Not Used BGN06 127 Reference Identification

O AN 1/30

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

# Must Use BGN07 640 Transaction Type Code

O ID 2/2

Code specifying the type of transaction

FT Material Returns

Notification by a military organization providing shipping information related to the return of material not needed

Use to indicate the transaction set contains material returns program transactions.

#### **BGN08** 306 Action Code

O ID 1/2

Code indicating type of action

Use to indicate that the transaction set contains transactions notifying ICPs/IMMs of automatic shipments, requesting ICP/IMM cancellation of previously submitted reports, or inquiring about the status of previously submitted transactions.

C Cancelled

Use to indicate a request to cancel a previously submitted report of material availability.

RF Returned to Shipper's Facility (Other Than Original

Shipping Location)

Use to indicate a notification of an automatic

return shipment.

RS Report Status

Use to indicate a request to provide receipt status for material previously reported as shipped.

T Status Query

Use to indicate an inquiry to the ICP/IMM requesting a reply to a previously submitted report of material availability.

# Not Used BGN09 786 Security Level Code

O ID 2/2

Code indicating the level of confidentiality assigned by the sender to the

information following

Segment: N1 Name

**Position:** 120

**Loop:** N1 Optional (Must Use)

Level: Heading

**Usage:** Optional (Must Use)

Max Use: 1

**Purpose:** To identify a party by type of organization, name, and code

**Syntax Notes:** 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

**Semantic Notes:** 

Comments: 1 This segment, used alone, provides the most efficient method of providing

organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes: Must use this 1/N1/120 loop to identify the organization originating the

transaction set.

		_	Data Elem	ent Summary		
	Ref.	Data				
	<u>Des.</u>	<b>Element</b>	<u>Name</u>		Att	<u>ributes</u>
Must Use	N101	98	<b>Entity Identifier</b>	Code	$\mathbf{M}$	ID 2/2
			Code identifying a individual	an organizational entity, a physical loc	cation	n, or an
				G 1		
			41	Submitter		
				Entity transmitting transaction set		
Not Used	N102	93	Name		$\mathbf{X}$	AN 1/35
			Free-form name			
<b>Must Use</b>	N103	66	<b>Identification Co</b>	de Qualifier	$\mathbf{X}$	ID 1/2
			Code designating Identification Cod	the system/method of code structure use (67)	ised f	for
			1	D-U-N-S Number, Dun & Bradstree	et	
			9	D-U-N-S+4, D-U-N-S Number with Suffix	n Fou	r Character
			10	Department of Defense Activity Ad (DODAAC)	dress	Code
			M4	Department of Defense Routing Ide (RIC)	ntifie	er Code
				An integral and predetermined parties established logistical system performing logistic control, distribution, and stopped to the control of	ming	general
Must Use	N104	67	<b>Identification Co</b>	de	$\mathbf{X}$	AN 2/20
			Code identifying a	a party or other code		
Not Used	N105	706	706 Entity Relationship Code			ID 2/2
			Code describing e	•	-	
			e sac accertoing c			

# Must Use N106 98 Entity Identifier Code

O ID 2/2

Code identifying an organizational entity, a physical location, or an individual

FR Message From

Must use to indicate that the organization cited in N104 originated the transaction set.

Segment: **BLI** Baseline Item Data

**Position:** 010

**Loop:** BLI Optional (Must Use)

Level: Detail

**Usage:** Optional (Must Use)

Max Use: 1

**Semantic Notes:** 

**Comments:** 

Purpose: To specify basic item data: item identification, quantity, and price
Syntax Notes: 1 If either BLI05 or BLI06 is present, then the other is required.

1 If Cital Delos of Below is present, then the other is requ

2 If BLI07 is present, then BLI06 is required.

3 If either BLI08 or BLI09 is present, then the other is required.
 4 If either BLI10 or BLI11 is present, then the other is required.

5 If either BLI12 or BLI13 is present, then the other is required.

1 BLI04, the unit of measure code applies to both quantity, (BLI03) and unit price (BLI06), unless BLI07 is present, in which case BLI04 applies only to BLI03,

and BLI07 applies only to BLI06.

1 Element 235/234 combinations should be interpreted to include products or services. See the Data Element Dictionary for a complete list of IDs.

2 BLI01, BLI02, and BLI08 through BLI13 provide for four different product/service IDs for each item. For example: Case, Color, Drawing No.,

U.P.C. No., ISBN No., Model, SKU.

Notes: Must use to identify the material associated with the transaction.

#### **Data Element Summary**

	Ref.	Data			
	Des.	<b>Element</b>	<u>Name</u>	<u>Att</u>	ributes
<b>Must Use</b>	BLI01	235	Product/Service ID Qualifier	$\mathbf{M}$	ID 2/2
			Code identifying the type/source of the descriptive nun	nher u	sed in

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Use only one of codes A1, A2, A4, FB, FS, FT, MG, or YP to identify the material. Must use the National Stock Number (NSN) when known, except when appropriate brand name subsistence items are identified by the Subsistence Identification Number.

A1 Plant Equipment Number

Item identifier is a plant equipment number

Use to identify plant equipment.

A2 Department of Defense Identification Code (DoDIC)

Qualifies a code that uniquely identifies a type of

explosive or ammunition

Use to identify ammunition items.

A4 Subsistence Identification Number

Item identifier is a brand-name resale subsistence

item

Use to identify subsistence items.

FB Form Number

Use to identify the form stock number.

			FS	National Stock Number		
			FT	Federal Supply Classification		
				Use to identify nonstandard mater number is not available and mater identified by description (e.g., non products).	rial ca	n only be
			MG	Manufacturer's Part Number		
				Use to identify nonstandard mater	ial.	
			YP	Publication Number		
				Use to identify the publication stoo	ck nui	nber.
Must Use	BLI02	234	Product/Service	e ID	$\mathbf{M}$	AN 1/40
			Identifying num	ber for a product or service		
Not Used	BLI03	380	Quantity		O	R 1/15
			Numeric value o	of quantity		
Not Used	BLI04	355	Unit or Basis fo	r Measurement Code	O	ID 2/2
				the units in which a value is being expurement has been taken	oresse	d, or manner
	BLI05	236	Price Identifier	Code	X	ID 3/3
			Code identifying	g pricing specification		
			Use to provide ti	he unit price for non-standard materio	al only	<b>v.</b>
			ACT	Actual		
				The final negotiated contract price		
			EST	Estimated Price		
	BLI06	212	<b>Unit Price</b>		X	R 1/17
			Price per unit of	product, service, commodity, etc.		
Not Used	BLI07	355	Unit or Basis fo	r Measurement Code	O	ID 2/2
				the units in which a value is being expurement has been taken	presse	d, or manner
	BLI08	235	Product/Service	e ID Qualifier	X	ID 2/2
			Code identifying Product/Service	g the type/source of the descriptive nur ID (234)	nber u	ised in
			ZB	Commercial and Government Entit	ty (CA	GE) Code
				A code that identifies a commercia authorized to do business with the		
				Use with BLI01 code MG to unique manufacturer's part number.	iely id	lentify a
	BLI09	234	Product/Service	e ID	X	AN 1/40
			Identifying num	ber for a product or service		
Not Used	BLI10	235	Product/Service	e ID Qualifier	X	ID 2/2
			Code identifying Product/Service	g the type/source of the descriptive nur ID (234)	nber u	ised in

Not Used	BLI11	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	BLI12	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive nu Product/Service ID (234)	mber u	ised in
Not Used	BLI13	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
Not Used	BLI14	1161	<b>Product Option Code</b>	O	ID 1/2
			Code indicating an option chosen for the product		
Not Used	BLI15	1161	<b>Product Option Code</b>	O	ID 1/2
			Code indicating an option chosen for the product		
Not Used	BLI16	1161	<b>Product Option Code</b>	O	ID 1/2
			Code indicating an option chosen for the product		
Not Used	BLI17	1161	<b>Product Option Code</b>	O	ID 1/2
			Code indicating an option chosen for the product		
Not Used	BLI18	594	Frequency Code	O	ID 1/1
			Code indicating frequency or type of payment		

Segment: N9 Reference Identification

**Position:** 011

**Loop:** BLI Optional (Must Use)

Level: Detail

**Usage:** Optional (Must Use)

Max Use: 20

Purpose: To transmit identifying information as specified by the Reference Identification

Qualifier

**Syntax Notes:** 1 At least one of N902 or N903 is required.

2 If N906 is present, then N905 is required.

3 If either C04003 or C04004 is present, then the other is required.

4 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:** 1 N906 reflects the time zone which the time reflects.

2 N907 contains data relating to the value cited in N902.

**Comments:** 

	Ref.	Data				
	Des.	<b>Element</b>	<u>Name</u>		<u>Att</u>	<u>ributes</u>
Must Use	N901	128	Reference Identification Qualifier		$\mathbf{M}$	ID 2/3
			Code qualifying	g the Reference Identification		
			TN	Transaction Reference Number		
				Must use to identify the transactied each transaction.	on nun	nber for
Must Use	N902	127	Reference Idea	ntification	X	AN 1/30
				mation as defined for a particular Tra e Reference Identification Qualifier	nsactio	n Set or as
Not Used	N903	369	Free-form Description		X	AN 1/45
			Free-form desc	riptive text		
Not Used	N904	373	Date		O	DT 6/6
			Date (YYMMI	DD)		
Not Used	N905	337	Time		X	TM 4/8
			or HHMMSSD $(00-59)$ , $S = int$	I in 24-hour clock time as follows: HH, or HHMMSSDD, where H = hours (eger seconds (00-59) and DD = decime pressed as follows: D = tenths (0-9) and	00-23), al seco	M = minutes nds; decimal
Not Used	N906	623	Time Code		O	ID 2/2
			Organization st indication in ho	ng the time. In accordance with International and and 8601, time can be specified by burs in relation to Universal Time Coordicted character, + and - are substituted w	a + or rdinate	- and an (UTC) time;
	N907	C040	Reference Idea	ntifier	O	

				To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier				
Must Use	C04001	128	Reference Identi	fication Qualifier	$\mathbf{M}$	ID 2/3		
			Code qualifying to	Code qualifying the Reference Identification				
			W8	Suffix				
				Differentiates between partial actio original transaction	ns tak	en on the		
				Use with N901 code TN in cancella (BGN08 code C) and inquiries (BC to identify the transaction number	GN08	code RS),		
Must Use	C04002	127	Reference Identi	fication	M	AN 1/30		
				ation as defined for a particular Trans deference Identification Qualifier	actio	n Set or as		
Not Used	C04003	128	Reference Identi	fication Qualifier	X	ID 2/3		
			Code qualifying to	he Reference Identification				
Not Used	C04004	127	Reference Identi	fication	X	AN 1/30		
				ation as defined for a particular Trans deference Identification Qualifier	actio	n Set or as		
Not Used	C04005	128	Reference Identif	fication Qualifier	X	ID 2/3		
			Code qualifying to	he Reference Identification				
Not Used	C04006	127	Reference Identi	fication	$\mathbf{X}$	AN 1/30		
				ation as defined for a particular Trans Reference Identification Qualifier	actio	n Set or as		

AT Financial Accounting **Segment:** 

**Position:** 

Loop: BLI Optional (Must Use)

Level: Detail **Usage:** Optional

Max Use: >1

**Purpose:** To transmit financial accounting data

**Syntax Notes:** 1 If AT10 is present, then AT01 is required.

**Semantic Notes:** 

**Comments:** AT09 identifies unique local activity financial accounting information.

1. Use multiple repetitions to identify the fund purpose code, appropriation, **Notes:** and/or fund codes for goods, services, and related adjustments.

2. DLMS users see the Accounting Classification Appendix for AT02 and AT09.

			Data Element Summary					
	Ref. Des.	Data <u>Element</u>	Name Attributes					
Must Use	AT01	1271	Industry Code	X	AN 1/30			
			Code indicating a code from a specific industry code list					
			Use any code except "CR" or "DR".					
	AT02	1282	Treasury Symbol Number	0	AN 7/21			
			Number identifying a department, fiscal year, treasury account number, and appropriation limit for a standard accounting classification coding structure					
			Use to identify the basic appropriation number.					
	AT03	1283	<b>Budget Activity Number</b>	0	AN 1/16			
			Number identifying an administrative subdivision of funds against which a transaction is to be charged for a standard accounting classification coding structure					
			Use to identify the fund code.					
Not Used	AT04	1284	Object Class Number	0	AN 3/12			
			Number identifying the nature of the goods or services a specific office or organization using resources for a star classification coding structure	-				
Not Used	AT05	1285	Reimbursable Source Number	0	AN 1/3			
			Number identifying the source of an appropriation or fu for a standard accounting classification coding structure		imbursement			
Not Used	<b>AT06</b>	1286	Transaction Reference Number	0	AN 4/20			
			Number identifying an original request for goods and services to the matching financial transaction for a standard accounting classification coding structure					
	<b>AT07</b>	1287	Accountable Station Number	0	AN 3/8			
			Number identifying an office responsible for entering a financial					

transaction into the applicable accounting system for a standard accounting classification coding structure

Use AT07 to identify the Authorized Accounting Activity (AAA)/Accounting Disbursing Station Number (ADSN)/Fiscal Station Number (FSN).

Not Used AT08 1288 Paying Station Number

O AN 8/14

Number identifying an office responsible for making a payment or collection and the corresponding voucher number under which the action was taken for a standard accounting classification coding structure

AT09 352 Description

O AN 1/80

A free-form description to clarify the related data elements and their content

Cite the supplemental accounting classification data.

Must Use AT10 1270 Code List Qualifier Code

O ID 1/3

Code identifying a specific industry code list

FP Fund Purpose

Segment: LM Code Source Information

**Position:** 057

**Loop:** LM Optional (Must Use)

Level: Detail

**Usage:** Optional (Must Use)

Max Use: 1

Purpose: To transmit standard code list identification information

Syntax Notes: Semantic Notes:

**Comments:** 1 LM02 identifies the applicable industry code list source information.

Notes: Must use this 2/LM/057 loop to identify coded information maintained in

department or agency documentation.

			200	a ziemen summa j		
	Ref.	Data				
	Des.	<b>Element</b>	<u>Name</u>		Att	<u>ributes</u>
Must Use	LM01	559	Agency Qu	ialifier Code	M	ID 2/2
			Code ident	ifying the agency assigning the code values		
			DF	Department of Defense (DoD)		
	LM02	822	Source Subqualifier		0	AN 1/15
			A reference Qualifier	e that indicates the table or text maintained b	y the	Source

Segment: LQ Industry Code

**Position:** 058

**Loop:** LM Optional (Must Use)

Level: Detail
Usage: Mandatory

**Max Use:** 100

Purpose: Code to transmit standard industry codesSyntax Notes: 1 If LQ01 is present, then LQ02 is required.

**Semantic Notes:** 

**Comments:** 

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

# **Data Element Summary**

	Ref.	Data	Data Lien	icht Summary
	Des.	Element	Nama	<u>Attributes</u>
Must Use	<u>Des.</u> LQ01	1270	Code List Qualif	
Wast Osc	LQUI	1270	_	a specific industry code list
				-
			0	Document Identification Code
				Codes that subclassify a transaction
			78	Project Code
				Codes that relate a transaction to special programs, exercises, projects, operations, or other purposes
				Use as needed to identify special programs, exercises, projects, operations, and other purposes.
			79	Priority Designator Code
				The priority of a transaction
				Use for notification for automatic returns.
			80	Advice Code
				Instructions to transaction recipients when narratives cannot be transmitted
			87	Subsistence Type of Pack Code
				A certain level of protection from the packing or outside shipping container for perishable and nonperishable subsistence items
				Use with subsistence items only.
			A9	Supplementary Address
				Identifies the originating organization's unique logistics information
			DE	Signal Code
			DF	Media and Status Code
Must Use	LQ02	1271	<b>Industry Code</b>	X AN 1/30

Code indicating a code from a specific industry code list

Segment: N1 Name

**Position:** 060

**Loop:** N1 Optional (Must Use)

Level: Detail

**Usage:** Optional (Must Use)

Max Use: 1

**Purpose:** To identify a party by type of organization, name, and code

**Syntax Notes:** 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

**Semantic Notes:** 

**Comments:** 

1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

Notes: 1. Must use one iteration of this 2/N1/060 loop to identify the organization to

receive the transaction.

2. Use additional iterations to identify other organizations associated with the transaction.

#### **Data Element Summary**

	Ref.	Data		
	Des.	<b>Element</b>	<u>Name</u>	<b>Attributes</b>
Must Use	N101	98	<b>Entity Identifier Code</b>	M ID 2/2

Code identifying an organizational entity, a physical location, or an individual

CN Consignee

Use in automatic shipment notifications to identify

the consignee for the returned material.

SF Ship From

Use in material availability reports and automatic shipment notifications to identify the organization from which the material is shipped if different from the organization originating the transaction

set.

Z1 Party to Receive Status

An organization that will receive information about a

transaction

Use to identify the party to receive status when different from Service/Agency prescribed status recipient. Use multiple iterations to identify all

status recipients, as required.

Z4 Owning Inventory Control Point

An inventory control organization responsible for

management of a particular item

			ZB	Party to Receive Credit		
				The organization to which credit wi	ll be	granted
				Use as needed for material available	ility r	eports and
				automatic shipment notifications to		• •
				organization to receive credit if dif		•
				organization originating the transa	ction	set.
Not Used	N102	93	Name		X	AN 1/35
			Free-form name			
Must Use	N103	66	<b>Identification Co</b>	de Qualifier	X	ID 1/2
			Code designating Identification Cod	the system/method of code structure use (67)	ised f	or
			1	D-U-N-S Number, Dun & Bradstree	et	
			9	D-U-N-S+4, D-U-N-S Number with Four Charac Suffix		
			10	Department of Defense Activity Address Code (DODAAC)		
			M4	Department of Defense Routing Ide (RIC)	ntifie	r Code
				An integral and predetermined parties established logistical system perform logistic control, distribution, and sto	ming	general
Must Use	N104	67	<b>Identification Co</b>	de	$\mathbf{X}$	AN 2/20
			Code identifying a	a party or other code		
Not Used	N105	706	<b>Entity Relationsh</b>	ip Code	O	ID 2/2
			Code describing e	ntity relationship		
	N106	98	<b>Entity Identifier</b>	Code	O	ID 2/2
			Code identifying a individual	nn organizational entity, a physical loc	ation	ı, or an
			TO	Message To		
				Must use with the appropriate 2/NI	01/0	60 code to
				indicate the organization cited in N the transaction.	104 i	is receiving

Segment: QTY Quantity

**Position:** 110

**Loop:** QTY Optional (Must Use)

Level: Detail

**Usage:** Optional (Must Use)

Max Use: 1

**Purpose:** To specify quantity information

Syntax Notes: Semantic Notes: Comments:

Notes:

Use multiple iterations of the 2/QTY/110 loop to stratify quantities associated

with the transaction by supply condition code.

			Doto Flore	5 T. C.
	Ref.	Data	Data Elemo	ent Summary
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	QTY01	673	Quantity Qualifie	
			Code specifying th	e type of quantity
			01	Discrete Quantity
				Use in requests for cancellation to identify the quantity from the original report of material availability which is no longer available.
			28	Quantity Available for Return
				Use in reports of material availability.
			38	Original Quantity
				Use in inquiries requesting a reply to a previously submitted report to identify the quantity of the original report.
			39	Shipped Quantity
				Use in notifications of automatic shipment.
			AA	Unacknowledged Quantity
				Message received without network, or attendant recognition
				Use in receipt acknowledgment inquiries to identify the quantity shipped.
Must Use	QTY02	380	Quantity	M R 1/15
			Numeric value of o	quantity
			Express the quant	ity as a whole number with no decimal.
	QTY03	C001	Composite Unit of	f Measure O
			To identify a compexamples of use)	posite unit of measure (See Figures Appendix for
Must Use	C00101	355	Unit or Basis for I	Measurement Code M ID 2/2
			Code specifying th	e units in which a value is being expressed, or manner

in which a measurement has been taken
Use to identify the unit of issue. DLMS users see the Unit of Issue and

			Use to identify the unit of issue. DLMS users see the Upurchase Unit Conversion Table for available codes.	/nıt o	f Issue and
Not Used	C00102	1018	18 Exponent		R 1/15
			Power to which a unit is raised		
Not Used	C00103	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00104	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being exp in which a measurement has been taken	resse	d, or manner
Not Used	C00105	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00106	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00107	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being exp in which a measurement has been taken	resse	d, or manner
Not Used	C00108	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00110	355	<b>Unit or Basis for Measurement Code</b>	O	ID 2/2
			Code specifying the units in which a value is being exp in which a measurement has been taken	resse	d, or manner
Not Used	C00111	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	<b>Unit or Basis for Measurement Code</b>	O	ID 2/2
			Code specifying the units in which a value is being exp in which a measurement has been taken	resse	d, or manner
Not Used	C00114	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		

Segment: DTM Date/Time Reference

**Position:** 130

**Loop:** QTY Optional (Must Use)

Level: Detail
Usage: Optional
Max Use: 10

**Purpose:** To specify pertinent dates and times

**Syntax Notes:** 1 At least one of DTM02 DTM03 or DTM06 is required.

2 If either DTM06 or DTM07 is present, then the other is required.

**Semantic Notes:** 

**Comments:** 

Notes: Use multiple repetitions to identify dates associated with the material.

	Dof	Data	Data Elem	nent Summary				
	Ref. Des.	Data Element	Nama		A ++	ributes		
Must Use	<u>Des.</u> DTM01	374	Date/Time Quali	fier	M	ID 3/3		
			_	ype of date or time, or both date and ti				
			036	Expiration				
				Date coverage expires				
				Use for subsistence items only.				
			510	Date Packed				
			210	Use for subsistence items only.				
Must Use	DTM02	373	Date		X	DT 6/6		
			Date (YYMMDD	)				
Not Used	DTM03	337	Time		X	TM 4/8		
			or HHMMSSD, o $(00-59)$ , S = integ	Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where $H = hours$ (00-23), $M = minutes$ (00-59), $S = integer$ seconds (00-59) and $DD = decimal$ seconds; decimal seconds are expressed as follows: $D = tenths$ (0-9) and $DD = hundredths$				
Not Used	DTM04	623	Time Code		o	ID 2/2		
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow					
	DTM05	624	Century		O	N0 2/2		
			The first two char	racters in the designation of the year (C	CCY	Y)		
Not Used	<b>DTM06</b>	1250	<b>Date Time Period</b>	d Format Qualifier	X	ID 2/3		
			Code indicating th	ne date format, time format, or date an	d tim	ne format		
Not Used	<b>DTM07</b>	1251	<b>Date Time Period</b>	d	X	AN 1/35		
			Expression of a da	ate, a time, or range of dates, times or	dates	and times		

Segment: LM Code Source Information

**Position:** 150

**Loop:** LM Optional (Must Use)

Level: Detail

**Usage:** Optional (Must Use)

Max Use: 1

**Purpose:** To transmit standard code list identification information

Syntax Notes: Semantic Notes:

**Comments:** 1 LM02 identifies the applicable industry code list source information.

Notes: Use the 2/LM/150 loop to identify the supply condition of the material.

			2			
	Ref.	Data Element	Nomo		A ++	ributes
	<u>Des.</u>	Element	<u>rame</u>		Att	<u> Tibutes</u>
Must Use	LM01	559	Agency Qua	llifier Code	$\mathbf{M}$	ID 2/2
			Code identify	ying the agency assigning the code values		
			DF	Department of Defense (DoD)		
Not Used	LM02	822	Source Subo	qualifier	o	AN 1/15
			A reference Qualifier	that indicates the table or text maintained by	y the	Source

Segment: LQ Industry Code

**Position:** 160

**Loop:** LM Optional (Must Use)

Level: Detail
Usage: Mandatory

**Max Use:** 100

Purpose: Code to transmit standard industry codesSyntax Notes: 1 If LQ01 is present, then LQ02 is required.

**Semantic Notes:** 

**Comments:** 

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

**Data Element Summary** 

Ref. Data

Des. Element Name

Must Use LQ01 1270 Code List Qualifier Code

Attributes

O ID 1/3

Code identifying a specific industry code list

83 Supply Condition Code

Classifies material by readiness for issue and use, describes actions underway to change the status of material, or identifies material as excess or not

serviceable

Must Use LQ02 1271 Industry Code X AN 1/30

Code indicating a code from a specific industry code list

Segment: LX Assigned Number

**Position:** 170

Loop: LX Optional

Level: Detail Usage: Optional

Max Use: 1

**Purpose:** To reference a line number in a transaction set

Syntax Notes: Semantic Notes:

**Comments:** Notes:

1. Use as a counter for reports of material availability and notifications of automatic shipment to identify the number of 2/LX/170 loop iterations.

2. Use the 2/LX/170 loop to provide unique item tracking (UIT) information for controlled material.

# **Data Element Summary**

	Ref.	Data		
	Des.	<b>Element</b>	<u>Name</u>	<b><u>Attributes</u></b>
<b>Must Use</b>	LX01	554	Assigned Number	M N0 1/6

Number assigned for differentiation within a transaction set

In the first 2/LX/170 loop iteration, cite numeric 1. In each subsequent loop iteration, increase incrementally by 1.

Segment: N9 Reference Identification

**Position:** 180

Loop: LX Optional

Level: Detail
Usage: Optional
Max Use: >1

**Purpose:** To transmit identifying information as specified by the Reference Identification

Qualifier

**Syntax Notes:** 1 At least one of N902 or N903 is required.

2 If N906 is present, then N905 is required.

3 If either C04003 or C04004 is present, then the other is required.

4 If either C04005 or C04006 is present, then the other is required.

**Semantic Notes:** 1 N906 reflects the time zone which the time reflects.

2 N907 contains data relating to the value cited in N902.

**Comments:** 

Notes: Use multiple repetitions to identify a unique item identifier (UII), batch, or lot

number.

	D-£	D-4-	Data Ele	ment Summary			
	Ref. <u>Des.</u>	Data Element	<u>Name</u>		A ++	ributes	
Must Use	<u>Des.</u> N901	128		tification Qualifier	M	ID 2/3	
Widst Osc	11701	120		•	141	10 2/3	
				the Reference Identification			
			BT	Batch Number			
				Use to identify the manufacturer's or other number identifying the pro			
			LT	Lot Number			
				Use to identify the manufacturer's	lot n	umber.	
			SE	Serial Number			
				Use to identify a UII.			
Must Use	N902	127	Reference Iden	tification	X	AN 1/30	
				mation as defined for a particular Trans Reference Identification Qualifier	actio	n Set or as	
Not Used	N903	369	Free-form Desc	cription	X	AN 1/45	
			Free-form descr	riptive text			
Not Used	N904	373	Date		O	DT 6/6	
			Date (YYMMD	D)			
Not Used	N905	337	Time		X	TM 4/8	
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where $H = hours$ (00-23), $M = minutes$ (00-59), $S = integer$ seconds (00-59) and $DD = decimal$ seconds; decimal seconds are expressed as follows: $D = tenths$ (0-9) and $DD = hundredths$ (00-99)				
Not Used	N906	623	Time Code		O	ID 2/2	

Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow

			codes that follow		
Not Used	N907	C040	Reference Identifier	O	
			To identify one or more reference numbers or identifical specified by the Reference Qualifier	ıtion	numbers as
Not Used	C04001	128	Reference Identification Qualifier		ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04002	127	Reference Identification	M	AN 1/30
			Reference information as defined for a particular Trans specified by the Reference Identification Qualifier	actio	n Set or as
Not Used	C04003	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04004	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Trans specified by the Reference Identification Qualifier	actio	n Set or as
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Trans specified by the Reference Identification Qualifier	actio	n Set or as

Segment: N1 Name

**Position:** 200

Loop: LX Optional

Level: Detail Usage: Optional

Max Use: 1

**Purpose:** To identify a party by type of organization, name, and code

**Syntax Notes:** 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

**Semantic Notes:** 

**Comments:** 1 This segment, used alone, provides the most efficient method of providing

organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

2 N105 and N106 further define the type of entity in N101.

Notes: Use to identify the manufacturer of the UIT item.

			Duta 1	arement summary		
	Ref.	Data				
	Des.	<b>Element</b>	<u>Name</u>		<b>Attributes</b>	
Must Use	N101	98	<b>Entity Identi</b>	fier Code	M	ID 2/2
			Code identify individual	ring an organizational entity, a physical l	ocatior	n, or an
			MF	Manufacturer of Goods		
Not Used	N102	93	Name		X	AN 1/35
			Free-form na	me		
Must Use	N103	66	Identification	n Code Qualifier	$\mathbf{X}$	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)			
			33	Commercial and Government Enti	ity (CA	AGE)
Must Use	N104	67	Identification	n Code	X	AN 2/20
			Code identify	ring a party or other code		
Not Used	N105	706	<b>Entity Relati</b>	onship Code	O	ID 2/2
			Code describ	ing entity relationship		
Not Used	N106	98	<b>Entity Identi</b>	fier Code	O	ID 2/2
			Code identify individual	ring an organizational entity, a physical l	ocatior	n, or an

Segment: **SE** Transaction Set Trailer

**Position:** 230

Loop:

Level: Detail
Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

**Syntax Notes:** 

**Semantic Notes:** 

**Comments:** 1 SE is the last segment of each transaction set.

Must Use	Ref.  Des.  SE01	Data <u>Element</u> 96	Name Number of Included Segments	Att	<u>ributes</u> N0 1/10		
			Total number of segments included in a transaction set i SE segments	ncluc	ding ST and		
Must Use	SE02	329	<b>Transaction Set Control Number</b>	M	AN 4/9		
			Identifying control number that must be unique within the transaction se functional group assigned by the originator for a transaction set				
			Cite the same number as the one cited in ST02.				